

# LILY'S MEDICAL HISTORY

A5769560 46.60LBS DOG TAN / BLACK S GERM SHEPHERD

4/14/2026

INTAKE EXAM

NORMAL

46.60LBS

## Treatment Description:

Dog FAS Intake Medical/Behavior Form

S:

Patient was brought in as Stray, OTC

Microchip not found

O:

Behavioral Observations

Offer tasty food: No interest

Type of food offered: Canned

Overall body posture: Upright, Reluctant to approach, Stiff/tense

Ears: Forward

Eyes: Avoids contact, Whale eye

Mouth: Lips long and soft, Open/Panting

Vocalizing: Quiet

Fear-Anxiety-Stress level observed at intake: (1) Low FAS

Other behavior observations: Tolerated exam, but slightly nervous. ACA felt more comfortable vaccinating behind fence. Dog moderately vaccine reactive.

Medical Observations:

WT 46.6lbs

Age: 3 years

Gender: female

BCS 5/9

MM- pink CRT- < 2 sec mentation: BAR

EENT: NSF

CV: NSF

RESP: NSF

Abdomen/UG: NSF

PLN: NSF

Musculoskeletal: amb x 4

Integument: NSF

Grooming score: 1

Neuro: NSF

P: Routine vaccinations:

Nobivac DHLPP SQ RFL (booster in 2-4 weeks)

Bordetella Intratrach3 IN once (good for 1 year)

Bravecto (fluralaner) 44-88lb dose PO once

4.7cc Pyrantel pamoate suspension 50mg/ml PO once

Assisted by:

Examined by:

BORDETELLA

Date Given:4/14/2026

BRAVECTO CANINE 44-88LBS

Date Given:4/14/2026

4.70 DEWORM PYRANTEL 1.00  
TIMES/DAY FOR 1.00 DAYS

Date Given:4/14/2026

DHLPP

Date Given:4/14/2026

A5769560 48.20LBS DOG TAN / BLACK S GERM SHEPHERD

---

4/21/2026

4/21/2026

SX EXAM

NORMAL

48.20LBS

## Treatment Description:

NOBIVAC 3 Serial number: 838919 Exp 10/31/26

Microchip Implantation: 956000019956647

S: Dog spay scheduled today.

Rx Vetprofen 100 mg tablet SID for 3 days (Pain Medication)

O:

T- 101.7 P- 120 R- pant MM- pink, &lt; 2 sec Mentation- BAR

Weight 48.2 Lbs BCS 5/9

EENT- mod. dental calc. and staining

CVR- NSF

Abd- NSF

MS- NSF

Neuro- NSF

LNN- NSF

GU- NSF

Integ- 2 growths on right mammary chain- lower abdo and upper thorax

Behavior: friendly, easy to work with

P:

Surgery Report

Anesthesia

Pre-anesthetic: Acepromazine (2mg/ml) 0.55 cc IM, Butorphanol 10mg/ml: 0.65 cc IM,

Ampicillin 200mg/ml: 2.41 cc SQ

Induction: Ketamine (100 mg/ml) 1.0 cc IV, Midazolam (5 mg/ml) 1.0 cc IV

Intubation: Endotracheal tube size 9

Maintenance: Oxygen 2L Isoflurane 2%

Monitoring: Pulse oximeter

Supportive care: Thermoregulation pad/blanket

A 3 cm midline abdominal incision was made through the skin caudal to the umbilicus (#10). The subcutaneous tissue was then sharply removed (scissors), the linea Alba was tented and a stab incision was made through the linea Alba (#10). The linea Alba incision was then lengthened (#10) while protecting the internal organs with forceps. The right horn of the uterus was exteriorized with a spay hook. The ovarian ligament was then broken manually and the right ovary was exteriorized. A Carmalt was placed proximal to the ovary and a second clamp (Kelly forceps) was placed distal to the ovary. A single ligature (Miller's knot- 2-0 PDS) was applied to the ovarian pedicle proximal to the Carmalt clamp. The pedicle was then incised distal to the Carmalt. The Carmalt was then removed and the pedicle checked for bleeding before the stump was placed back into the abdomen. The left uterine horn and ovary were removed in a similar fashion. A Carmalt was then placed between the cervix and the uterine bifurcation. The Carmalt was removed and a single ligature (2-0 PDS-Modified Miller's knot) was applied to the uterus in the crimped edge. The Carmalt was then placed cranial to the ligature and the uterus was incised cranial to the Carmalt. The clamp was then removed and the uterine stump checked for bleeding. The abdominal wall was closed (2-0 Monocryl-simple continuous pattern). The subcutaneous tissue was then closed (simple continuous pattern-2-0 Monocryl) and the skin was closed (2-0 Monocryl-subcuticular pattern).

Intradermal tattoo placed

HW- growths R mamm. chain

VETPROFEN 100

Date Given:4/21/2026

RABIES

Date Given:4/21/2026

4/21/2026

4/24/2026

EXIT EXAM                      OTHER                                      48.00LBS

Treatment Description:

Patient on exit exam

If there are any issues, contact a veterinarian for further assistance.  
Please see private veterinarian after adoption for more information.

Examinations by certain private veterinarians are free of charge to shelter pets within 7 days of adoption  
Contact your local veterinarians for more information.

Physical exam:

Pulse- 120    Respiration- 30    MM- pink    CRT- < 2 sec    Mentation- BAR ,BCS 4/9

EENT- see p notes

Cardiovascular/Respiratory- NSF

Abdomen- NSF

Musculoskeletal- NSF, ambulates 4x

Neurologic- NSF

Lymph nodes- NSF

Genito-urinary- NSF

Integument- see p notes

5/9/2026

5/9/2026

INTAKE EXAM

OTHER

47.20LBS

## Treatment Description:

Dog FAS Intake Medical/Behavior Form

S:intake exam

Behaviour observation:

Behavioral Observations :

- 1) Offer tasty food: Readily ate
- 2) Type of food offered: Canned
- 3) Overall body posture: Upright , Relaxed/Flexible , Wiggly , Approaches readily
- 4) Ears: Neutral
- 5) Eyes: Soft eye gaze
- 6) Mouth: Lips long and soft
- 7) Fear-Anxiety-Stress level observed at intale: Low FAS

## Client information:

County of Los Angeles Department of Animal Care and Control

11258 Garfield Ave, Downey CA 90242

562-940-8870

Patient was brought in as :owner sur OTC

Wt: 47.2 lbs

dog has chip see tag

Medical observation:

P: 120 R: 30 BCS 5/9 Mm: pink CRT &lt;2sec Mentation: BAR

EENT: see p notes

LNN: NSF

CVS: NSF

Resp: Eupneic, BV x 4, no obvious signs of distress

GI: NSF

UG: NSF

Neuro: mentation appears appropriate, no gross deficits noted

MS: Amb x 4, no lameness noted today

Integ: see p notes

Routine vaccinations: Nobivac DHLPP SQ RFL

Routine anti-parasitic: Nexgard-Afoxolaner po once:

24.1-60# (68mg)

Pyrantel pamoate suspension 50mg/ml- 5 ml po once

NEXGARD 24.1-60LBS

Date Given:5/9/2026

DHLPP

Date Given:5/9/2026

5.00 DEWORM PYRANTEL 1.00

Date Given:5/9/2026

TIMES/DAY FOR 1.00 DAYS

5/11/2026

RVT EXAM

OTHER

Treatment Description:

Dog has short nail bleeding from L front leg  
stop the bleeding with silver nitrate applicator  
monitor for any bleeding from the nails

---

---

IF YOU OR YOUR VETERINARIAN HAVE ANY QUESTIONS REGARDING THE MEDICAL TREATMENT YOUR  
ANIMAL HAS RECEIVED  
PLEASE CALL US AT (562) 940-6898