

MOO'S MEDICAL HISTORY

A5771210 70.80LBS DOG WHITE / BROWN N PIT BULL

4/21/2026

INTAKE EXAM

NORMAL

70.80LBS

Treatment Description:

Dog FAS Intake Medical/Behavior Form

S:

Patient was brought in as Stray, OTC

Microchip not found

O:

Behavioral Observations

Offer tasty food: No interest

Type of food offered: Canned

Overall body posture: Upright, Relaxed/Flexible, Approaches readily

Ears: Neutral

Eyes: Soft eye gaze

Mouth: Lips long and soft, Open/Panting

Vocalizing: Quiet

Fear-Anxiety-Stress level observed at intake: (1) Low FAS

Other behavior observations: friendly and easy to work with. Pillable.

Medical Observations:

WT 70.8lbs

Age: 2 years

Gender: male

BCS 5/9

MM- pink CRT- < 2 sec mentation: BAR

EENT: NSF

CV: NSF

RESP: NSF

Abdomen/UG: two testicles palpated

PLN: NSF

Musculoskeletal: amb x 4

Integument: NSF

Grooming score: 1

Neuro: NSF

P: Routine vaccinations:

Nobivac DHLPP SQ RFL (booster in 2-4 weeks)

Bordetella Intratrach3 IN once (good for 1 year)

Bravecto (fluralaner) >44-88lb dose PO once

7.1cc Pyrantel pamoate suspension 50mg/ml PO once

Assisted by:

BRAVECTO CANINE 44-88LBS

Date Given: 4/21/2026

BORDETELLA

Date Given: 4/21/2026

7.10 DEWORM PYRANTEL 1.00

Date Given: 4/21/2026

TIMES/DAY FOR 1.00 DAYS

DHLPP

Date Given: 4/21/2026

4/27/2026

SX EXAM

NORMAL

73.40LBS

Treatment Description:

NOBIVAC 3 Serial number: 838919 31OCT26

Microchip applied # 956000019949045

Rx Vetprofen 150 mg tablet SID for 3 days (Pain Medication)

S: Patient presents for Dog Castration.

O: Physical examination

Temperature- 100.3 Pulse- 80 Respiration- 30 MM- pink CRT- < 2 sec BAR

Weight 73.4 lbs BCS 6/9

EENT- NSF

Cardiovascular/Respiratory- NSF

Abdomen- NSF

Musculoskeletal- NSF

Neurologic- NSF

Lymph nodes- NSF

Genito-urinary- NSF

Integument- NSF

Behavior: friendly

A: Patient is fit for surgery.

P: Surgery Report- Dog Neuter

Anesthesia

Pre-anesthetic: Acepromazine (2mg/ml) 0.8 cc IM, Butorphanol 10mg/ml: 1.0 cc IM,

Pen G 3(00,000units/ml): 3.7 SQ

Induction: Ketamine (100 mg/ml) 1.7 cc IV, Midazolam (5 mg/ml) 1.7 cc IV

Intubation: Endotracheal tube size 11.0

Maintenance: Oxygen 2L Isoflurane 2%

Monitoring: Pulse oximeter

Supportive care: Thermoregulation pad/blanket

A testicle was pushed up onto midline in the pre- scrotal area and a midline incision was made over the testicle (#10). The testicle was then exteriorized and freed of subcutaneous and connective tissue, manually with gauze. A carmalt was then placed over the vas deferens, cremaster, and vessels proximal to the epididymus. A single ligature (Miller's knot, 2-0 PDS) was placed proximal to the clamp and the testicle removed distal to the clamp. The clamp was then removed and the stump checked for bleeding. This procedure was repeated on the second testicle. The subcutaneous tissue was then closed using a single cruciate suture of 2-0 Monocryl. Skin closed using 2-0 Monocryl in a simple intradermal pattern. Tissue glue was placed on the skin.

Intradermal

1.50 VETPROFEN 100 1.00
TIMES/DAY FOR 3.00 DAYS

Date Given:4/27/2026

RABIES

Date Given:4/27/2026

5/1/2026

5/1/2026

EXIT EXAM

NORMAL

73.00LBS

Treatment Description:

Patient on exit exam

If there are any issues, contact a veterinarian for further assistance.
Please see private veterinarian after adoption for more information.

Examinations by certain private veterinarians are free of charge to shelter pets within 7 days of adoption
Contact your local veterinarians for more information.

Physical exam:

Pulse- 120 Respiration- 30 MM- pink CRT- < 2 sec Mentation- BAR ,BCS 5/9

EENT- No oral exam

Cardiovascular/Respiratory- NSF

Abdomen- NSF

Musculoskeletal- NSF, ambulates 4x

Neurologic- NSF

Lymph nodes- NSF

Genito-urinary- NSF

Integument- NSF

RVT#

IF YOU OR YOUR VETERINARIAN HAVE ANY QUESTIONS REGARDING THE MEDICAL TREATMENT YOUR
ANIMAL HAS RECEIVED
PLEASE CALL US AT (562) 940-6898