

# PICOSO'S MEDICAL HISTORY

A5762219 8.70LBS DOG BLACK / BROWN M MIN PINSCHER

3/13/2026

INTAKE EXAM

OTHER

8.70LBS

## Treatment Description:

Dog FAS Intake Medical/Behavior Form

S:

Patient was brought in as Stray, OTC

Microchip not found

O:

Behavioral Observations

Offer tasty food: No interest

Type of food offered: Canned

Overall body posture: Upright, Reluctant to approach, Stiff/tense

Ears: Forward

Eyes: dilated pupils, possibly blind

Mouth: Closed, Lips tense/short

Vocalizing: Quiet, Growling

Fear-Anxiety-Stress level observed at intake: (4) High FAS

Other behavior observations: tense, snapping, and growling. When handler went slowly, he seemed okay. Allowed me to examine mouth. Seems hearing and vision impaired and is possibly reacting negatively due to dulled senses/inability to navigate environment.

Medical Observations:

WT 8.7lbs

Age: 9 years

Gender: male

BCS 5/9

MM- pink CRT- < 2 sec mentation: BAR

EENT: appears to be deaf and blind- no obvious menace, dazed gaze, or response to clapping on either side of face. Not using line of vision to follow any objects with eyes.

CV: NSF

RESP: NSF

Abdomen/UG: two testicles visualized

PLN: NSF

Musculoskeletal: amb x 4, stiff gait

Integument: NSF

Grooming score:

Neuro: slightly ataxic. Unsure if because dog is likely deaf and blind? geriatric? arthritic?

P: Routine vaccinations:

Nobivac DHLPP SQ RFL (booster in 2-4 weeks)

Bordetella Intratrach3 IN once (good for 1 year)

Nexgard-Afoxolaner 4-10# (11.3mg) PO once

0.9cc Pyrantel pamoate suspension 50mg/ml PO once

vetcheck

Assisted by:

Examined by:

BORDETELLA

Date Given:3/13/2026

DHLPP

Date Given:3/13/2026

0.90 DEWORM PYRANTEL 1.00

Date Given:3/13/2026

TIMES/DAY FOR 1.00 DAYS

3/13/2026

NEXGARD 4-10LBS

Date Given:3/13/2026

INTAKE EXAM

OTHER

8.70LBS

Treatment Description:

ADDENDUM: EENT notes

Dog FAS Intake Medical/Behavior Form

S:

Patient was brought in as Stray, OTC

Microchip not found

O:

Behavioral Observations

Offer tasty food: No interest

Type of food offered: Canned

Overall body posture: Upright, Reluctant to approach, Stiff/tense

Ears: Forward

Eyes: dilated pupils, possibly blind

Mouth: Closed, Lips tense/short

Vocalizing: Quiet, Growling

Fear-Anxiety-Stress level observed at intake: (4) High FAS

Other behavior observations: tense, snapping, and growling. When handler went slowly, he seemed okay. Allowed me to examine mouth. Seems hearing and vision impaired and is possibly reacting negatively due to dulled senses/inability to navigate environment.

Medical Observations:

WT 8.7lbs

Age: 9 years

Gender: male

BCS 5/9

MM- pink CRT- < 2 sec mentation: BAR

EENT: moderate tartar. appears to be deaf and blind- no obvious menace, dazed gaze, or response to clapping on either side of face. Not using line of vision to follow any objects with eyes.

CV: NSF

RESP:NSF

Abdomen/UG: two testicles visualized

PLN: NSF

Musculoskeletal: amb x 4, stiff gait

Integument: NSF

Grooming score:

Neuro: slightly ataxic. Unsure if because dog is likely deaf and blind? geriatric? arthritic?

P: Routine vaccinations:

Nobivac DHLPP SQ RFL (booster in 2-4 weeks)

Bordetella Intratrach3 IN once (good for 1 year)

Nexgard-Afoxolaner 4-10# (11.3mg) PO once

0.9cc Pyrantel pamoate suspension 50mg/ml PO once

vetcheck

Assisted by:

Examined by:

3/13/2026

INTAKE EXAM

OTHER

8.70LBS

## Treatment Description:

ADDENDUM: EENT notes, revolution given instead of nexgard

Dog FAS Intake Medical/Behavior Form

S:

Patient was brought in as Stray, OTC

Microchip not found

O:

Behavioral Observations

Offer tasty food: No interest

Type of food offered: Canned

Overall body posture: Upright, Reluctant to approach, Stiff/tense

Ears: Forward

Eyes: dilated pupils, possibly blind

Mouth: Closed, Lips tense/short

Vocalizing: Quiet, Growling

Fear-Anxiety-Stress level observed at intake: (4) High FAS

Other behavior observations: tense, snapping, and growling. When handler went slowly, he seemed okay. Allowed me to examine mouth. Seems hearing and vision impaired and is possibly reacting negatively due to dulled senses/inability to navigate environment.

Medical Observations:

WT 8.7lbs

Age: 9 years

Gender: male

BCS 5/9

MM- pink CRT- &lt; 2 sec mentation: BAR

EENT: moderate tartar. appears to be deaf and blind- no obvious menace, dazed gaze, or response to clapping on either side of face. Not using line of vision to follow any objects with eyes.

CV: NSF

RESP: NSF

Abdomen/UG: two testicles visualized

PLN: NSF

Musculoskeletal: amb x 4, stiff gait

Integument: NSF

Grooming score:

Neuro: slightly ataxic. Unsure if because dog is likely deaf and blind? geriatric? arthritic?

P: Routine vaccinations:

Nobivac DHLPP SQ RFL (booster in 2-4 weeks)

Bordetella Intratrach3 IN once (good for 1 year)

revolution (selamectin 120mg/mL) 0.2mL once topically

0.9cc Pyrantel pamoate suspension 50mg/ml PO once

vetcheck

Assisted by:

Examined by:

3/16/2026

3/16/2026

VET EXAM

OTHER

Treatment Description:

S: On vet check for possible deaf, blind

O: PHYSICAL EXAM (limited exam) 10 mins

HR: uto Respiration: 24 CRT uto BAR MM Pink BCS 4/9

Patient: growls and snaps

EENT: eyes clear OU, PLR absent OU, nose clean, ears grossly clean AU. No oral exam today.

LN: n/e

Thorax: eupneic, no obvious signs of distress, n/e

Abdomen: n/e

Genitourinary: no obvious lesions/discharge noted

Integument: clean full coat

Musculoskeletal: amb x4

Neuro: head sway side to side, unable to absorb ambulation for ataxia

A: Appears to be blind

POssibly hearing impaired

Head sway, reported possible ataxia R/O CNS dz, open

P: Neuro work up recommended with adopter

Monitor for appetite, behavior and worsening condition and contact veterinarian if this occurs. Feed canned food to entice appetite, if necessary.

OK TO GO OUT ON TRUST-defer surgery HEALTH WAIVER

Input by

IF YOU OR YOUR VETERINARIAN HAVE ANY QUESTIONS REGARDING THE MEDICAL TREATMENT YOUR  
ANIMAL HAS RECEIVED  
PLEASE CALL US AT (562) 940-6898